

Specifications of Powercan Pure BS Series Forklift Batteries

Battery Type	Nominal capacity and discharge rate in 5 hours	Maximum Dimension (mm)			Weight with Electrolyte(±5% Kg)
	Capacity (Ah)	Length	Width	Height	
2PzB100	100	45	158	397	7.1
3PzB150	150	61	158	397	9.6
4PzB200	200	77	158	397	12.2
5PzB250	250	93	158	397	14.8
6PzB300	300	109	158	397	17.4
7PzB350	350	125	158	397	20.0
8PzB400	400	141	158	397	22.6
9PzB450	450	157	158	397	25.2
10PzB500	500	173	158	397	27.7
2PzB110	110	45	158	420	7.8
3PzB165	165	61	158	420	10.2
4PzB220	220	77	158	420	12.9
5PzB275	275	93	158	420	15.3
6PzB330	330	109	158	420	18.3
7PzB385	385	125	158	420	21.1
8PzB440	440	141	158	420	23.8
9PzB495	495	157	158	420	26.5
10PzB 550	550	173	158	420	29.3
2PzB120	120	45	158	423	8.2
3PzB180	180	61	158	423	11.1
4PzB240	240	77	158	423	14.0
5PzB300	300	93	158	423	16.9
6PzB360	360	109	158	423	19.9
7PzB420	420	125	158	423	22.9
8PzB480	480	141	158	423	25.8
9PzB540	540	157	158	423	28.8
10PzB600	600	173	158	423	31.6
2PzB130	130	45	158	454	8.7
3PzB195	195	61	158	454	11.8

4PzB260	260	77	158	454	14.9
5PzB325	325	93	158	454	17.7
6PzB390	390	109	158	454	21.1
7PzB455	455	125	158	454	24.3
8PzB520	520	141	158	454	27.4
9PzB585	585	157	158	454	30.5
10PzB650	650	173	158	454	33.6
2PzB140	140	45	158	488	9.6
3PzB210	210	61	158	488	12.8
4PzB280	280	77	158	488	16.2
5PzB350	350	89	158	488	19.3
6PzB420	420	109	158	488	23.1
7PzB490	490	125	158	488	26.6
8PzB560	560	141	158	488	30.0
9PzB630	630	157	158	488	34.4
10PzB700	700	173	158	488	36.8
2PzB150	150	45	158	511	9.9
3PzB225	225	61	158	511	13.5
4PzB300	300	77	158	511	17.1
5PzB375	375	89	158	511	20.3
6PzB450	450	109	158	511	24.2
7PzB525	525	125	158	511	27.9
8PzB600	600	141	158	511	31.5
9PzB675	675	157	158	511	35.1
10PzB750	750	173	158	511	38.7
2PzB160	160	45	158	535	10.4
3PzB240	240	61	158	535	14.2
4PzB320	320	77	158	535	18
5PzB400	400	93	158	535	21.5
6PzB480	480	109	158	535	25.7
7PzB560	560	125	158	535	29.6
8PzB640	640	141	158	535	33.4
9PzB720	720	157	158	535	37.2
10PzB800	800	173	158	535	41.0
2PzB170	170	45	158	567	11.0

3PzB255	255	61	158	567	15.0
4PzB340	340	77	158	567	19.0
5PzB425	425	93	158	567	22.7
6PzB510	510	109	158	567	27.2
7PzB595	595	125	158	567	31.3
8PzB680	680	141	158	567	35.3
9PzB765	765	157	158	567	39.4
10PzB850	850	173	158	567	43.4
2PzB200	200	45	158	625	12.9
3PzB300	300	61	158	625	17.6
4PzB400	400	77	158	625	22.4
5PzB500	500	93	158	625	26.6
6PzB600	600	109	158	625	31.9
7PzB700	700	125	158	625	36.5
8PzB800	800	141	158	625	41.5
9PzB900	900	157	158	625	46.2
10PzB1000	1000	173	158	625	51.0
2PzB210	210	45	158	680	13.5
3PzB315	315	61	158	680	18.4
4PzB420	420	77	158	680	23.3
5PzB525	525	93	158	680	27.8
6PzB630	630	109	158	680	33.2
7PzB735	735	125	158	680	38.2
8PzB840	840	141	158	680	43.2
9PzB945	945	157	158	680	48.1
10PzB1050	1050	173	158	680	52.2
2PzB220	220	45	158	688	14.1
3PzB330	330	61	158	688	19.3
4PzB440	440	77	158	688	24.5
5PzB550	550	93	158	688	29.7
6PzB660	660	109	158	688	34.9
7PzB770	770	125	158	688	39.8
8PzB880	880	141	158	688	45.4
9PzB990	990	157	158	688	50.6
10PzB1100	1100	173	158	688	55.7